## Seclira<sup>®</sup>

# 速克力®

#### Cockroach Gel Bait

殺蟑膠餌

遠離孩童

毒藥 POISON

### Keep out of reach of children

註冊編號 Reg. No.: 1P202(GE)

#### 有效成份 Active Ingredient: Dinotefuran 0.5% w/w

Application: Seclira® CR Gel is very easy and convenient to use. Apply the product as spot treatment application in places easily accessible by roaches like shallow cracks. There is little or no preparation required and there is no significant odor or exposure issues to disrupt during treatment.

- Apply Seclira® CR Gel in the natural habitats of roach, such as cracks & crevices and places of cockroach activity.
- Do not use any repellent insecticides, before or after treatments to avoid impacts on palatability and efficacy.
  Apply in 3-6 mm spots 1.2 spots/m² under low roaches
- Apply in 3-6 mm spots, 1-2 spots/m<sup>2</sup> under low roaches infestations and 2-3 spots/m<sup>2</sup> under high roaches infestations.
- Avoid applications on or near surfaces exposed to food and tableware. Avoid any applications directly onto surfaces of food handling and storage area. Avoid usage in areas that may contaminate food when cleaning. Remove or cover food and tableware in the treatment areas before usage.

Precautions: Always follow the label instructions! Do not eat and drink during application. Wash hands thoroughly after application. Indoor use only. Do not pollute food or water. Allergic people have to get immediate medical consultation in case of any adverse reactions. Pregnant and lactating women should avoid product contact. Used containers should be handled properly, don't use or throw away around.

Storage: Seclira® CR Gel should be storage in a ventilated and dry place Keep away from food and feed, keep it locked away from children. Stay away from fire, open flame and high temperature.

Net Content: 30g 淨重量: 30 克

有效期:3年

Expiration period: 3 Years

**使用方法**:將藥餌應用於容易被蟑螂接觸的地方;如淺層裂縫。使用時, 不需要任何前期準備,也沒有明顯的氣味或暴露問題,不影響正常活動。

- 將藥餌施於蟑螂經常出沒的地方;如孔洞、縫隙、邊角及蟑螂活動路線等。
- 在使用前後,切勿使用驅趕性藥物,避免引起拒食,影響藥效。
- 依每點直徑 3-6毫米大小成薄片或小圓點狀 施用於蟑螂活動和危險場所。 在蟑螂滋生密度較低的情況下,按 1-2點/平方米施用處理;在蟑螂滋生 密度較高的情況下,按 2-3點/平方米施用處理。
- 避免在食物和餐具表面施用;避免真接在食物操作區表面和食物貯藏區 施用
- 避免在清理時污染食物的區域使用;使用前應先覆蓋或移走食物及餐具。

注意事項:請按標籤說明使用;施藥期間不可飲食;施藥完畢後應徹底清洗雙手;僅用於室內,使用時切勿污染食物及水源。使用中如有任何不良反應請及時就醫;孕婦及哺乳期內婦女應避免接觸本產品;用過的容器應妥善處理,不可作其他用途,也不可隨意丟棄。

**旷存方法**:本產品應存放於通風及乾燥的地方。遠離食品、飼料、並放置 兒童接觸不到的地方加鎖保存:遠離火源、明火及高溫處。



Manufacture 生產商:BASF Corporation 德國巴斯夫藥廠

Supplier 供應商: Joy Time International Ltd. 樂時國際有限公司 Address: Rm. 2411, Hong Kong Plaza, 188 Connaught Rd. West, Hong Kong Email: info@joytimehk.com Tel: 2871 9021